Tech Sheet - Full Color & Engraved Snap-on Badges

Size Available:

Full Color Snap-on Badges

2 standard sizes, custom sizes NOT available

Engraved Snap-on Badges

• 2 standard sizes, custom sizes NOT available

FASTENER & ACCESSORY OPTIONS FOR BADGES				
Fastener & Accessory Description	Standard or Premium Option Standard options are included in the price.	Item Number		
Pin	Standard *default fastener	2BF-J21		
Swivel Clip	Standard	2BF-J24		
Military Tack	Standard	2BF-J11		
Strap Clip	Premium	2BF-J22		
Magnetic Fastener *Should not be used if person has a pacemaker	Premium	2BF-J81		
Black Lanyard (½" x 35")	Premium	2BF-J45BL		
Clear Pocket Badge Adapter "Only available for rectangular badges that have a height of 1" or less. Adapter comes with adhesive to apply badge, other fastener options are not included	Premium	2BF-J18		
Plastic Strap	Premium	PLASTICSTRAP		

Process:

Full Color Snap-on BadgesFull Color Digital Print

- Includes Clear Plastic Cover/Lens
- 1-side or 2-sided printing available
- Vertical or Horizontal Orientation

*Horizontal is standard

Engraved Snap-on Badges

- Laser Engraved
- Includes Clear Plastic Cover/Lens
- 1-side engraving
- Vertical or Horizontal Orientation

Material:

Full Color Snap-on Badges

*Horizontal is standard

+ $1\!\!\!/_{16}$ " white plastic polystyrene

*All engraving plastic stocks may also be full color printed, dark color stocks are not recommended. Colored plastic stock impacts how color will appear once printed.

- **Please note minimum and maximum custom sizes for engraving stock applies whether engraving or full color print for colored plastic stock.
- No bevel due to plastic cover/lens
- Round corners only, snap-on badges have a specific corner radius to fit the plastic cover/lens

Engraved Snap-on Badges

- 2-ply colored plastic
- No bevel due to plastic cover/lens
- Round corners only, snap-on badges have a specific corner radius to fit the plastic cover/lens
- 37 standard color combinations available (shown on page 2)
- · Colors may fade over time if used outdoors

L1 White Sign Black Lettering	L2 Blue Sign White Lettering	L3 White Sign Blue Lettering	L4 White Sign Red Lettering	Cak Sign White Lettering	L6 Black Sign White Lettering
L9 Yellow Sign Black Lettering	L10 Green Sign White Lettering	L11 Burgundy Sign White Lettering	L12 Silver Sign Black Lettering	L13 Dark Brown Sign White Lettering	L14 Walnut Sign White Lettering
L18 Gray Sign White Lettering	L19 Gray Sign Black Lettering	L20 Light Gray Sign Blue Lettering	L21 White Sign Green Lettering	L22 Light Blue Sign White Lettering	L23 Pine Green Sign White Lettering
L26 Medium Brown Sign White Lettering	L28 Purple Sign White Lettering	L30 Black Marble Sign White Lettering	L32 Charcoal Gold Fleck Sign Gold Lettering	Green Gold Fleck Sign Gold Lettering	Rustico Granite Sign Gold Lettering
L40 Dark Gray Sign White Lettering	L42 Platinum Marble Sign Black Lettering	L47 Black Sign Gold Lettering	Black Sign Silver Lettering	L82 Ivory Sign Brown Lettering	All stock Plastic st Dark stock colors are





Red Sign White Lett

Gold Sign Black Lettering



Teal Sign White Lettering

Light Gray Sign Burgundy Lettering





Parchment Sign Black Lettering

Navy Blue Sign White Lettering









Gold Sign Burgundy Lettering

Brushed Gold Sign Black Lettering



ks are available for full color process. stock color impacts how colors print. e not recommended as the ink may not show well.

Production Time:

Set-up Charge: Art Charges:

2 working days

*Quantities of 100 or more and custom sizes may require additional production time.

FREE

Minor artwork adjustments can be made with no additional fees applied. This would include items such as slight modification to size and/or color, name/text changes, and artwork clean up (i.e. removing spots from scanned artwork). These alterations should take no longer than 10-15 minutes to complete. Additional design/layout/color assistance is available for an hourly rate. This would include items such as color matching or color separation, logo redraw/manipulation or any additional layout design work needed on artwork.

Standard Offering Size:

ing size.	Finished Size H" x W"	Full Color Snap-on Badge Item Number	Full Color Artwork Size H" x W" %" bleed on each side	Engraved Snap-on Badge Item Number	Engraving Artwork/Imprint Area H" x W" Engraving cannot bleed
	1" × 3"	ZDP-1	1¼" x 3¼"	4DP-1	³ / ₄ " × 2 ³ / ₄ "
	1½" x 3"	ZDP-4	1¾" × 3¼"	4DP-4	1¼" x 2¾"

Custom Offer Size:

Artwork Requirements:

Custom sizes are NOT available

Full Color Snap-on Badges

- Full color artwork size should include an 1/8" bleed on all sides. Bleed area should always be included in artwork even if design does not bleed.
- CMYK processed file, Create full color process files with Adobe Acrobat PDF file, *note: if RGB or other non-CMYK colors are used in your files the necessary conversions to CMYK will change the appearance of the colors when printed
- Minimum 300 dpi, 600 dpi is recommended for highest quality output
- File formats should be Tiffs, PDFs or Illustrator files with the fonts embedded in the file, *PDF files are preferred
- Do not include any punctuation in the PDF file name and keep the name as short as possible

Artwork Requirements:	: Engraved Snap-on Badges	
	• 100% Black artwork	
	• Engraving files should be the finished size. Artwork/imprint safe area needs to be ¼" away from the finished size on all sides.	
	Engraving artwork/imprint area cannot bleed.	
	• Artwork is not necessary to provide if there are no logos and only text needed. If only text is required the typestyle,	
	upper/lower case along with text position should be indicated with the order. If no point size of text is given we will use our best judgement.	
	Artwork cannot have screens.	
	 Artwork cannot have screens. Artwork with a border design should have a minimum thickness of 4pt., if design has double borders the space between the 	
	borders should be a minimum of ¹ / ₁₆ ".	
	 Logos/artwork with fine intricate details will not engrave well and will fill-in in tight registered areas. 	
	 Minimum Engraving Point Size: Block Fonts = 8 pt., Script Fonts = 24 pt. 	
	**please note the following typestyles are also not available in a point size less than 24 pt. American Std Roman, University Roman, Burin Sans Regular, Amazone BT Regular, AT Commercial Script Regular, AT Isadora Regular, Murray Hill Bd BT Bold, Park Avenue, Ribbon 131 Bd BT Bold, Shelley Allegro Script, Snell Roundhand LT Std Script	
	Minimum 300 dpi, 600 dpi is recommended for highest quality output	
	• File formats should be Tiffs, PDFs or Illustrator files with the fonts embedded in the file, *PDF files are preferred	
	• Do not include any punctuation in the PDF file name and keep the name as short as possible	
Order Process:	Electronic or Manual	
Proofs:	Emailed Electronic PDF Proofs, add 2 working days to the item production. First proof is free of charge. Additional proofs	
	available for an additional charge. Production time begins after receipt of complete order including proof approval.	
	Production Samples, physical product proofs are available using customer artwork. These are offered at a % off the one	
	quantity price. Standard production times will apply.	
	Complimentary Proof may be required for certain orders to ensure satisfaction. Production time will be begin upon approval of	
	the proof.	
Packaging:	Box shipping container depending on the size and quantity of the badge.	
	Multiple badges will ship in one shipping container, multiple containers pending size and quantity.	
Changes or Cancellations:	Changes to orders in progress may require additional charges and/or time. Cancellations for orders in progress will require payment for the order.	